

# *EIT's Expanding Horizons: From Critical Care to Global Health Innovations*

Workshop on:


*Whither EIT: Opportunities and Challenges in Medical Monitoring and Beyond,*  
Tsinghua University, Beijing

Andy Adler

Carleton University, Ottawa, Canada

2025-06-08

# Electrical Impedance Tomography: Non-invasive




[1]


---

<sup>1</sup>Heinrich *et al* (2006) **Body and head position effects on regional lung ventilation in infants ...** *Int Care Med* 32:1392–1398


# EIT: apply current and measure voltages




# EIT: Physiology





# EIT: Image Reconstruction




# EIT: Image Reconstruction



# EIT: What's it for?




# What does EIT measure?




<sup>2</sup>Frerichs *et al* (2003) [Electrical Impedance Tomography – a method for monitoring regional lung aeration and tidal volume distribution](#) *Int Care Med* 29:2312–2316

# EIT: The market




# What does EIT measure?




<sup>3</sup>Frerichs *et al* (2003) **Electrical Impedance Tomography – a method for monitoring regional lung aeration and tidal volume distribution** *Int Care Med* 29:2312–2316

# What does EIT measure?



<sup>3</sup>Frerichs *et al* (2003) **Electrical Impedance Tomography – a method for monitoring regional lung aeration and tidal volume distribution** *Int Care Med* 29:2312–2316

# EIT and blood flow: Bolus- and Filtering-based




EIT waveforms and images from [Wang et al 2024] during a NaCl bolus and apnea (38–50 s) in 4 quadrants. A) Tidal Ventilation, B) Bolus-based perfusion image, C) HR-filtered EIT image, D) relative EIT- $\dot{V}/Q$  in lungs.


<sup>4</sup>Electrical impedance tomography monitoring in adult ICU patients: state-of-the-art, recommendations for standardized acquisition, processing, and clinical use, and future directions, *Critical Care*, (2024)

# 3D Ventilation / Perfusion



$$\dot{V} / Q$$





# EIT: The market



# EIT: The market






# CPAP





<sup>6</sup>Araos et al (2025) *In Preparation*

# CPAP




<sup>6</sup>Araos et al (2025) *In Preparation*

# EIT: The market





# EIT in 3D






<sup>7</sup>Byrne *et al* (2023) [Validation of three-dimensional thoracic ...](#) *Physiol Meas* 45:035010

# EIT in 3D






# Perfusion with 3D EIT



[8]




<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*

# Perfusion with 3D EIT



<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*




# Perfusion with 3D EIT



[8]

<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*




# Perfusion with 3D EIT



[8]

<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*




# Perfusion with 3D EIT



[8]

<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*




# Perfusion with 3D EIT



[8]

<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*




# Perfusion with 3D EIT



[8]

<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*


# Perfusion with 3D EIT




[8]

<sup>8</sup>Larrabee *et al* (2023) *Am J Physiol: Lung*

# EIT: The market




# EIT measures lung volume




<sup>3</sup>Byrne *et al* (2023) Comparison of electrical impedance tomography and spirometry-based measures of airflow in healthy adult horses, *Frontiers Physiol* 14:1164646

# EIT: The market




# COPD / Asthma



- RDF
- LDf
- RVf
- LVf
- RDb
- LDb
- RVb
- LVb

Treatment  
Day  
-2



0


2

3

5


6

7





# COPD / Asthma

[10]




<sup>10</sup>Byrne et al (2025) In Preparation

# Pulmonary Arterial Pressure



<sup>11</sup>Byrne et al (2025) *In Preparation*


# Pulmonary Arterial Pressure



[11]


<sup>11</sup>Byrne et al (2025) *In Preparation*

# Pulmonary Arterial Pressure




<sup>11</sup>Byrne *et al* (2025) *In Preparation*


# EIT: The market



# EIT: The market




# Breathing Training




[12]

<sup>12</sup><https://www.freegameplanet.com/super-mario-typing-bros-browser-game/>

# EIT: The market





# EIT: The market



# Stress

- Pre-ejection Period (PEP)  
→ Sympathic
- Respiratory Sinus Arrhythmia (RSA)  
→ Parasympathic



# The biggest biomedical market for Electrical Impedance


[13]




---

<sup>13</sup>Fisher-Price Cheer for Me! Potty, toddler toilet training seat with music and sounds

# The biggest biomedical market for Electrical Impedance




# The biggest biomedical market for Electrical Impedance



# The smallest biomedical market for EIT

[13]



<sup>13</sup>Adler et al "In-water electrical impedance tomography: EIT and the sea", *Physiol Meas* 2025

# Discussion

EIT has many potential markets:

- ICU
- In-patient
- Out-patient
- Sports
- Lifestyle

# Discussion

EIT has many potential markets:

- ICU – Current market
- In-patient
- Out-patient
- Sports
- Lifestyle

Requirements

- Advanced analysis of signals
- Portable, small hardware
- Differentiate from other monitors