Check for updates

OPEN ACCESS

EDITED AND REVIEWED BY Raimond L. Winslow, Northeastern University, United States

*CORRESPONDENCE Yong Wang, yong.wang@ds.mpg.de

SPECIALTY SECTION

This article was submitted to Computational Physiology and Medicine, a section of the journal Frontiers in Physiology

RECEIVED 09 November 2022 ACCEPTED 16 November 2022 PUBLISHED 28 November 2022

CITATION

Wang Y, Majumder R, Tian F-B and Gao X (2022), Editorial: Modeling of cardiovascular systems. *Front. Physiol.* 13:1094146. doi: 10.3389/fphys.2022.1094146

COPYRIGHT

© 2022 Wang, Majumder, Tian and Gao. This is an open-access article distributed under the terms of the **Creative Commons Attribution License** (**CC BY**). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Editorial: Modeling of cardiovascular systems

Yong Wang^{1,2}*, Rupamanjari Majumder^{1,2}, Fang-Bao Tian³ and Xiang Gao^{1,4}

¹Department of Fluid Physics, Pattern Formation and Biocomplexity, Max Planck Institute for Dynamics and Self-Organization, Göttingen, Germany, ²DZHK (German Center for Cardiovascular Research), Partner Site Göttingen, Göttingen, Germany, ³School of Engineering and Information Technology, University of New South Wales Canberra, Canberra, NSW, Australia, ⁴School of Physics and Information Technology, Shaanxi Normal University, Xi'an, China

KEYWORDS

cardiovascular system, modeling, electrophysiology, mechanics, hemodynamics

Editorial on the Research Topic Modeling of cardiovascular systems

The mammalian cardiovascular system (CVS) comprises the heart, blood and blood vessels, which, through coordinated action, ensures the transport of oxygen, nutrients, hormones and enzymes to every cell in the body, while collecting toxic wastes for elimination from the same. Because of its complex and multi-component nature, malfunctioning of the CVS often results in multi-scale and multi-physics problems that pose major challenges to targeted therapy (Smith et al., 2004; Walpole et al., 2013; O'Connor et al., 2022). This is because abnormalities occurring at the molecular level can lead to defective electrical or mechanical activities at the organ level (Zhang et al., 2016; Yu et al., 2019), thereby inhibiting the identification of the true source of the problem.

In recent years, mathematical and computational modeling (Smith et al., 2004; Walpole et al., 2013; Niederer et al., 2019) has found synergistic use alongside *in vitro, ex vivo* or *in vivo* research, providing useful mechanistic insights through simulations, where experimental capabilities are limited. Inspired by new experimental data and supported by high-performance computing, modeling is also increasingly applied in the CVS to understand mechanisms of abnormal processes and test potential therapeutic strategies (Weinberg et al., 2010; Campbell et al., 2020; Kalhöfer-Köchling et al., 2020; Costabal and Peirlinck, 2021; Pickersgill et al., 2022). To this end, computer models are developed to simulate the state of the art in technology, to guide animal experiments or clinical trials, such as tissue engineering of heart valve (Emmert et al., 2018), atrial defibrillation (Majumder et al., 2021), and aortic stent planning (Ma et al., 2022).

This Frontiers Research Topic focuses on the current state of the art in cardiovascular system modeling, including mathematical or computational aspects, and addresses the fundamental challenges. We are delighted to include 8 articles contributed by 53 authors in this Research Topic. Those articles cover electrophysiology, mechanics, hemodynamics and their coupled effects.

The cardiac muscle is excitable media responsible for the heart contraction under electrical stimulus. The intricate regulation of compartmental Ca^{2+} concentrations in cardiomyocytes is of importance for electrophysiology, excitation-contraction coupling, and complex signaling pathways. Dysregulation of cytosolic Ca^{2+} leads to various pathologies. Streiff and Sachse used a mathematical model of human ventricular cardiomyocyte to investigate the individual contributions of background Ca^{2+} entry and Ca^{2+} leak to the modulation of Ca^{2+} transients and sarcoplasmic reticulum Ca^{2+} loading under static and dynamic conditions. Their results provide quantitative insights into the differential modulation of compartmental Ca^{2+} concentrations by background and leak Ca^{2+} currents, and shed light on the physiological effects of background and leak Ca^{2+} currents and their contribution to the development of diseases caused by Ca^{2+} dysregulations.

In addition to cardiomyocytes, fibroblast are also present in cardiac tissue. Brocklehurst et al. developed a two-dimensional model using the discrete element method and studied the effects of fibroblast-myocyte electrical coupling (FMEC) on atrial electrical conduction and mechanical contractility. Their results show that the coupling slows down the conduction of excitation waves and reduces the tissue strain during contraction. This reveals a role of FMEC in cardiac electrical and mechanical dynamics.

Abnormal propagation of electrical wave in the heart may leads to arrhythmias, such as atrial fibrillation. Patient-specific atrial model, with defined muscle fiber architecture, can be used for risk assessment and treatment planning. Rossi et al. proposed a rulebased definition of fiber orientation in patient-specific left atrium models, and performed electrophysiology simulations. They compared the new algorithm with other rule-based algorithms and demonstrated the robustness and flexibility of the new one.

The cardiac chambers are surrounded by branches of coronary arteries, which deliver oxygen and nutrition to the myocardium. Coronary blood flow is an important indicator in the assessment of coronary artery disease. Munneke et al. proposed a multi-scale model for the coupling between the cardiac mechanics and coronary perfusion, with coronary mechanics and hemodynamics implemented in the closedloop CircAdapt model. The versatility and validity of the new model was demonstrated in a case study of aortic valve stenosis followed by valve replacement. This model is expected to serve as a platform for studying cardiac-coronary coupling. Using computational fluid dynamics (CFD) modeling, Taylor et al. evaluated the inlet flow rate and microvascular resistance of 27 coronary branches in patients and determined the optimal exponent of Murray's law (Murray, 1926). The values obtained are lower than the exponent originally proposed by Murray's law, but are consistent with recent derivations based on theoretical and morphological analyses.

By modeling the coupling between the aortic hemodynamics and mechanics, Zhu et al. investigated the effect of aortic wall compliance on intraluminal hemodynamics within surgically repaired type A aortic dissection. Two patient-specific aortic geometries, either deformable or rigid, were considered. Their CFD results show that the model considering wall compliance is more accurate in predicting wall shear stress, but the model with rigid wall is sufficient to predict pressure drop and computationally cheaper.

Data-driven and machine learning (ML)-based computational models play an important role in understanding cardiac dynamics and hemodynamics. As an application of data-driven technique, **Tossas-Betancourt et al**. discussed the inconsistencies in routinely acquired anatomical and hemodynamic data from patients with pulmonary arterial hypertension, and proposed and implemented strategies to mitigate these inconsistencies, and then to use this data to inform and calibrate computational models of the ventricles and large arteries. Wang et al. proposed a fast prediction tool for modeling blood flow in stenosed arteries by using a hybrid framework of ML and immersed boundary-lattice Boltzmann method (IB-LBM). Their results show that once the neural network is trained, the prediction of blood flow in stenosed arteries is much more efficient compared to direct CFD simulations.

In summary, this Research Topic contains articles that address different scales, physics, and anatomical components of the cardiovascular system. We believe that these modeling works can increase our understanding of the complex cardiovascular systems and hopefully help physicians to develop new therapeutic strategies. On the other hand, we are aware that in this topic there is a lack of studies that couple all relative physical fields of the heart (Verzicco, 2022), due to the obvious complexity. Based on the current advances in experimental technologies, models that incorporate new experimental data, such as detailed cardiac fiber distribution, are expected. Finally, ML, or ML combined with physical laws (Alber et al., 2019), is expected to have a greater impact in the modeling of the cardiovascular systems.

Author contributions

All authors listed have made a substantial, direct and intellectual contribution to the work, and approved it for publication.

Acknowledgments

We acknowledge the contributors to this research topic. This work was supported by the Max Planck Society and the German Center for Cardiovascular Research.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

References

Alber, Mark, Adrian Buganza Tepole, William R. Cannon, De, Suvranu, Dura-Bernal, Salvador, Garikipati, Krishna, George, Karniadakis, et al. (2019). Integrating machine learning and multiscale modeling-perspectives, challenges, and opportunities in the biological, biomedical, and behavioral sciences. *NPJ Digit. Med.* 2 (1), 115. doi:10.1038/s41746-019-0193-y

Campbell, K. S., Chrisman, B. S., and Campbell, S. G. (2020). Multiscale modeling of cardiovascular function predicts that the end-systolic pressure volume relationship can Be targeted via multiple therapeutic strategies. *Front. Physiol.* 11, 1043–1112. doi:10.3389/fphys.2020.01043

Costabal, F., Peirlinck, M., Yao, J., Guccione, J. M., Tripathy, S., Wang, Y., et al. (2021). Precision medicine in human heart modeling: Perspectives, challenges, and opportunities. *Biomech. Model. Mechanobiol.* 20, 803–831. doi:10.1007/s10237-021-01421-z

Emmert, M. Y., Schmitt, B. A., Loerakker, S., Sanders, B., Spriestersbach, H., Fioretta, E. S., et al. (2018). Computational modeling guides tissue-engineered heart valve design for long-term *in vivo* performance in a translational sheep model. *Sci. Transl. Med.* 10 (440), eaan4587. doi:10.1126/scitranslmed.aan4587

Kalhöfer-Köchling, M., Bodenschatz, E., and Wang, Y. (2020). Structure tensors for dispersed fibers in soft materials. *Phys. Rev. Appl.* 13 (6), 064039. doi:10.1103/ PhysRevApplied.13.064039

Ma, D., Wang, Y., Azhar, M., Adler, A., Steinmetz, M., and Uecker, M. (2022). *In silico* modeling for personalized stenting in aortic coarctation. *Eng. Appl. Comput. Fluid Mech.* 16 (1), 2056–2073. doi:10.1080/19942060.2022.2127912

Majumder, R., Nazer, A., Alexander, P., Bodenschatz, E., and Wang, Y. (2021). Electrophysiological characterization of human atria : The understated role of temperature. *Front. Physiol.* 12, 639149. doi:10.3389/fphys.2021.639149

Murray, C. D. (1926). The physiological principle of minimum work: I. The vascular system and the cost of blood volume. *Proc. Natl. Acad. Sci. U. S. A.* 12 (3), 207–214. doi:10.1073/pnas.12.3.207

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Niederer, S. A., Lumens, J., and Trayanova, N. A. (2019). Computational models in cardiology. *Nat. Rev. Cardiol.* 16 (2), 100–111. doi:10.1038/s41569-018-0104-y

O'Connor, C., Brady, E., Zheng, Y., Moore, E., and Stevens, K. R. (2022). Engineering the multiscale complexity of vascular networks. *Nat. Rev. Mat.* 7 (9), 702–716. doi:10.1038/s41578-022-00447-8

Pickersgill, S. J., Msemburi, W. T., Cobb, L., Ide, N., Moran, A. E., Su, Y., et al. (2022). Modeling global 80-80-80 blood pressure targets and cardiovascular outcomes. *Nat. Med.* 28 (8), 1693–1699. doi:10.1038/s41591-022-01890-4

Smith, N. P., Nickerson, D. P., Crampin, E. J., and Hunter, P. J. (2004). Multiscale computational modelling of the heart. *Acta Numer*. 13, 371–431. doi:10.1017/S0962492904000200

Verzicco, Roberto (2022). Electro-fluid-mechanics of the heart. J. Fluid Mech. 941, P1-P81. doi:10.1017/jfm.2022.272

Walpole, J., Papin, J. A., and Peirce, S. M. (2013). Multiscale computational models of complex biological systems. *Annu. Rev. Biomed. Eng.* 15, 137–154. doi:10. 1146/annurev-bioeng-071811-150104

Weinberg, E. J., Shahmirzadi, D., and Mofrad, M. R. K. (2010). On the multiscale modeling of heart valve biomechanics in health and disease. *Biomech. Model. Mechanobiol.* 9 (4), 373–387. doi:10.1007/s10237-009-0181-2

Yu, J. K., Franceschi, W., Huang, Q., Pashakhanloo, F., Boyle, P. M., and Trayanova, N. A. (2019). A comprehensive, multiscale framework for evaluation of arrhythmias arising from cell therapy in the whole post-myocardial infarcted heart. *Sci. Rep.* 9 (1), 9238–9316. doi:10.1038/s41598-019-45684-0

Zhang, Y., Barocas, V. H., Berceli, S. A., Clancy, C. E., Eckmann, D. M., Garbey, M., et al. (2016). Multi-scale modeling of the cardiovascular system: Disease development, progression, and clinical intervention. *Ann. Biomed. Eng.* 44 (9), 2642–2660. doi:10.1007/s10439-016-1628-0