



## Forest fires spread of computer simulation and visualization of progress

Chong-Cheng Chen-Tang Li-yu Li Xiao-Gang Feng

**Abstract:** Forest fire spreading forest fire behavior is the main manifestations. In this paper, various forest fires spread of computer simulation and visualization technology of the latest research and development trends are reviewed. First, the spread of forest fires related to the mathematical model of the type and characteristics of the model development and system formed. Secondly , based on cellular automata and the Huygens principle of two Weilin fire simulation and display technology and 3D virtual environment of fire technology. Finally, on the spread of forest fires spread simulation and visualization of the research and development in addition to high-precision the direction and development of practical, realistic focus on the future will be multi-dimensional virtual environment of the forest landscape, multi-user participation in the rapid decision-making capacity (such as with fire), and network information services.

**Keywords:** Forest fire spread; Simulation or emulation; Mathematical model; 3D virtual environment; Information Systems

Key words: quatiety code: A

Article Number: 1001-7488 (2005) 05-0155-08

## Research advance in simulation and visualization of forest fire spreading via computer

Chen Tang Chongcheng Liyu Li Jianwei Feng Xiaogang

**Fund projects:** major national basic research (973) preliminary studies special (2002CCC01900, 2004CCA07200) Funding.

**Author units:** Chong-Cheng Chen (Fuzhou University in Fujian Spatial Information Research Center, the Ministry of Education and Information Sharing Data Mining Laboratory, Fuzhou 350002)

Li - (Fuzhou University in Fujian Spatial Information Research Center, the Ministry of Education and Information Sharing Data Mining Laboratory, Fuzhou 350002) Tang Li-yu (Fuzhou University in Fujian Spatial Information Research Center, the Ministry of Education and Information Sharing Data Mining Laboratory, Fuzhou 350002) Xiao-Gang Feng (Fuzhou University in Fujian Spatial Information Research Center, the

Ministry of Education and Information Sharing Data Mining Laboratory, Fuzhou 350002)

## **References:**

[1], and Zhu autumn. 1988. The model forest fires and fight the problem. Systems Engineering Principles and Practice, 8 (2): 35-38

[2] Huang States, Zhang Xiaoli, Wang Lei. 2005. Based on the three-dimensional surface

Cellular Automata model of the spread of forest fires. Beijing forestry University Journal, 27 (3) :94-97

[3] - Li, Chong-Cheng Chen, in his, and others. 2005. Virtual forest landscape in the forest fire spread model and three-dimensional visualization of expression. Journal of Applied Ecology, 16 (5):838-842

[4] SHU Li-fu, Wang Mingyu, Tian Xiaorui, etc. 2004. Forest fire burning on the characteristic parameters of the calculation and interpretation. Forestry Science, 40 (3): 179-183

[5] SONG Wei-guo, Fan Cheng, WANG Bing-hong. 2001. Integer type model forest fires and the self-organized criticality. Fire Science, 10 (1): 53-56

[6] TANG, Meng Xianyu, if Yi Hao. 2002. Forest fire spread model and the simulation of the spread of progress. Beijing forestry University Journal, 24 (1) 87-105-91

[7] TANG, Meng Xianyu, GE Hong legislation. 2003. Based on the grid structure simulation of the spread of forest fires and its realization. Beijing forestry University Journal, 25 (1): 53-57

[8] YIN Yong, the one-cheng, da, and 2002. Real-time simulation of natural phenomena. System Simulation Journal, 14 (9): 1217-1219

[9] Zhu Jiang, Gao Feng, Zhang Zhen Wei. 1995. GIS support of the forest fire spread computer simulation. Remote Sensing of the Environment, 10 (2) 022-273-1788-88

[10] Abbott K, Bangkok B, Staples G, et al. Use of RAOARSAT-1 images to map forest fuelmoisture over boreal forests. In: Ellsworth L eds. Geoscience and Remote Sensing symposium 2002, proceedings, IEEE International 24-26-18 June ,2002,1:134-136

[11] Ahrens' J P, P McCormick, Bossert J, et al. 1997. Case study: wildfire visualization. In: Yagel R H Hagen, eds. Proceedings of the IEEE Visualization 97 Conference. Los Alamitos, California: IEEE Computer Society Press: 451-454

[12] E. Alexander M 1985. Estimating the length-to-breadth ratio of elliptical forest fire patterns. In: R L O'Donoghue, Martin R E eds. Proceedings of 8th Conference for Fire and Forest Meteorology, Society of American Forestry. Detroit, Mich. :287 - 304

[13] Alexander M E, Keith A, Brigitte L. 2002. Use of RADARSAT-1 images to map forest fuel moisture over boreal forests. In: Ellsworth L eds. Proceedings of International Geosciences and Remote Sensing Symposium (IGARSS), a: 134-136

[14] Anderson H E, N J Catchpole, DeMestre N J, et al. 1982. Modeling the spread of grass fires. Journal of Australia Mathematic Society (Ser. B), 23: 451-466

[15] André J C S, D X.1998 Viegas. A unifying theory on the propagation of the fire front surface of forest fires. In: D Viegas X eds. Proceedings of the 3rd International Conference on Forest Fire Research and the 14th Conference of Fire and Forest Meteorology. Luso, Coimbra, Portugal, 1:259-279

[16] L. Andrews P 1986. BEHAVE: fire behavior prediction modeling system and fuel-BURN subsystem, Part 1, USDA Forest Service, Intermountain Research Station, Gen Tech Rep INT-194, Ogden, Utah

[17] P L Andrews, Queen B L P. 2001. Fire modeling and information system technology. International Journal of Wildland Fire, 10 (3 / 4) : 343-352

[18] P L Andrews, been C D, Seli R C. 2003. BehavePlus fire modeling system, version 2.0: User's Guide. Gen-Tech Rep RMRS GTR-106WWW. Ogden, UT: Department of Agriculture, Forest Service, Rocky Mountain Research Station

[19] M. Ashikhmin 2001. Synthesizing natural textures. In: Anon eds. Proceedings of the 2001 ACM Symposium on Interactive 3D Graphics :217 - 226

[20] Barros F J, M T. Mendes 1997. Forest fire in the modeling and simulation environment DELTA. Simulation Practice and Theory, 5 (3) :185-197

[21] Beaudoin P, S automotive industry, Poulin P. 2001. Controllable Fire Simulation and realistic. In: Anon eds. Proceedings of Graphics Interface 2001. Ottawa, Ontario, Canada:

159-166

[22] Brandis K, Jacobson, C. 2003. Estimation of vegetative fuel loads using Landsat TM imagery in New South Wales, Australia. International Journal of Wildland Fire, 12 (2) :185-194

[23] D. Burg J V 2000. Building an advanced particle system. Game Developer, 7 (2): 44-50 [24] Burgan R E, Klaver R W, Klaver J M.1998. Fuel models and fire potential from satellite and surface observations. International Journal of Wildland Fire, 8 (3): 159-170

[25] A Catchpole, E, W R Catchpole, Viney N R, et al. 2001. Estimating fuel predicting response time and fuel moisture content from field data. International Journal of Wildland Fire, 10 (2) Aid-222

[26] Chi S D, Lim Y H, K Lee, J, et al. 2003. A simulation-based decision support system for forest fire fighting. Lecture Notes in Computer Science, 2829: 487-498

[27] T L Clark, J Coen, Latham D. 2004. Description of a coupled atmosphere fire model. International Journal of Wildland Fire, 13 (1) 49-74-63

[28] P. Eklund 2001. A distributed architecture for spatial bush fire simulation. Journal of GIS, 15 (4) 45-51-59

[29] Feldman B E, F J O'Brien, Arikan O. 2003. Animating suspended particle explosions. In: Anon eds. Proceedings of ACM SIGGRAPH 2003, San Diego, California: 708-715

[30] A. Finney M 1998. FARSITE: fire area simulator-model development and evaluation. USDA Forest Service. Research Paper RMRSRP-4

[31] Foster, N, Metaxas D. 1996. Realistic animation of liquids. Graphical Models and Image Processing 58 (5): 471-483

[32] Foster, N, Metaxas D. 1997. Modeling the motion of a hot, turbulent gas. In: L Pocock, Hopkins R eds. Proceedings of ACM SIGGRAPH, Annual Conference Series, ACM: 181-188

[33] A. I French 1992. Visualization techniques for the computer simulation of bush Fires in Two Dimensions. M. thesis, University of New South Wales, Australian Defense Force Academy

[34] Gollberg G E, Neuenschwander L F, K Ryan C. 2001. Introduction: Integrating spatial technologies and ecological principles for a new age in fire management. International Journal of Wildland Fire, 10 (3 / 4) : 263-265

[35] Hanson H P, M M Bradley, Bossert J E, et al. 2000. The potential and promise of physics-based wildfire simulation. Environmental Science & Policy, 3:161-172

[36] T. Holtkamper 2003. Real-time gaseous Phenomena: A phenomenological approach to Interactive smoke and steam. In: Gain J E, Chalners A eds. Proceedings of the 2nd International Conference on Computer Graphics, Virtual Reality, Visualization and interaction in Africa, Cape Town, South Africa, 25-30

[37] IImonen T, Kontkanen J. 2003. The second order particle system. Journal of WSCG, 11 (1): 1213-6972

[38] M Jenkins, A. 2000. Numerical simulation of a wildfire event. In: Alexander M E eds. Proceedings of Third Symposium on Fire and Forest Meteorology. Long Beach, CA: 3-6

[39] Jorba J, Margalef T, Luque E. 2001. Simulation of Forest Fire Propagation on Parallel & Distributed PVM Platforms. In: Cotronis Y, Dongarra J dds. Euro PVM / MPI 2001, LNCS 2131, 386-392

[40] Karafyllidis I, Thanailakis A. 1997. A model for predicting forest fire spreading using cellular automata. Ecological Modeling, 99 (1) 87-105-97

[41] I. Karafyllidis 2004. Design of a dedicated parallel processor for the prediction of forest fire spreading using cellular automata and genetic algorithms. Engineering Applications of Artificial Intelligence, 17 (1) 19-24-36

[42] Keane R E, R Burgan, Wagtendonk J. 2001. Mapping fuels for wildland fire management across multiple scales: Integrating remote sensing, GIS, and biophysical

modeling. International Journal of Wildland Fire, 10 (3 / 4): 301 -- 319

[43] Keramitsoglou I, Kiranoudis C T, Sarimvels H, et al. 2004. A multidisciplinary decision support system for forest fire crisis management. Environmental Management, 33 (2): 212-225

[44] S A King, R Crawfis A, Reid W. 1999. Fast animation of amorphous and gaseous phenomena. Volume Graphics'99, Swansea, Wales: 333-346

[45] GK V, Schodl A, Essa I, et al. 2003. Graphcut textures: Image and video synthesis Using graph cuts. Transaction of Graph ACM, 22 (3): 277-286

[46] Lamorlette A, Foster, N. 2002. Structural modeling of flames for a production environment. Transaction of Graph ACM, 21 (3) :729 - 735

[47]Lander J. 1998. The ocean spray in your face. Game Development, 5(4): 13-18

[48] Lee, H, Kim L, Meyer, M, Desbrun M. 2001. Meshes on fire. In: Anon eds. Eurographic Proceedings of the Workshop on Computer Animation and Simulation: 75-84

[49] S. J P, R Taylor, M. 1993. Interactive modeling using particle systems. Computer and Graphics, 24 (6) :105-116

[50] Linn R R, F Harlow H. 1998. FIRETEC: A transport description of wildfire behavior. In: Anon eds. Proceedings of 2nd Symposium on Fire and Forest Meteorology, AMS 78th Annual Meeting, Phoenix, Arizona: 11-16

[51] Malamud B, Turcotte D. 2000. Cellular automata models applied to natural hazards. Computing in Science & Engineering, 42-51

[52] Morgan P, C C Hardy, Swetnam T W, et al. 2001. Mapping fire regimes across time and space: Understanding coarse and fine scale fire patterns. International Journal of Wildland Fire, 10 (3 / 4): 329 - 342

[53] A Muzy, Marcelli T, Aiello A, et al. 2001. Application of D.E.V.S. formalism to a semiphysical model of fire spread across a fuel bed. In: Giambiasi N eds. Proceedings of 13 th Europen Simulation Symposium and Exhibition. Marseilles, France, October 18-20,641-643 [54] A Muzy, Wainer G, Innocenti E, et al. 2002a. Cell-DEVS quantization techniques in a

fire spreading Application. In: Yücesan E eds. Proceedings of the 2002 Winter Simulation Conference: 542-549

[55]Muzy A, Wainer G. 2002b. Comparing simulation methods for fire spreading across a fuel bed. In: Barros F J and Giambiasi N eds. Proceedings of AI, Simulation and Planning in High Autonomy Systems, AIS'2002 Lisbon, Portugal , 219-224

[56]Nelson R M. 2002. An effective wind speed for models of fire spread. International Journal of Wildland Fire, 11(2): 153-161

[57] D Nguyen Q, R Fedkiw P, H W. Jensen 2002. Physically Based Modeling and Animation of Fire, ACM Transactions on Graphics, 21 (3) Tel-728

Oswald B [58] P. 1999. Classifying fuels with aerial photography in East Texas. International Journal of Wildland Fire, 9 (2): 109-113

[59] Pastor E, Z ? rate L, Planas E, et al. 2003. Mathematical models and calculation systems for the study of wildland fire behavior. Progress in Energy and Combustion Science, 29 (2) :139-153

[60] Paz C, F Fuentes Garcia S. 2001. Numerical simulation of forest fire.In: r3 D M eds. International Symposium on multi-Phase flow and Transport Phenomena. Antalya, Turkey, November 5 - 10: 505 -- 512

[61] Perminov V. 2002. Numerical solution of Reynolds equations for forest fire spread. Lecture Notes in Computer Science, 2329: 823-842

[62] Perry, C H, R Picard W. 1994. Synthesizing flames and their spreading. In: Anon eds. Eurographics Proceedings of Workshop on Animation and Simulation. Olso, Norway, Sept. 12-13:105-117

[63] Rasmussen N, Nguyen D, Geiger W, et al. 2003. Smoke Simulation for large scale phenomena. Transaction of Graph ACM, 22 (3) - 707 stalled

[64] T. Reeves W 1983. Particle Systems-A technique for modeling a class of fuzzy objects. Computer Graphics, 17 (3): 359-376

[65] Reich R M, Lundquist J E, Bravo V A. 2004. Spatial models for estimating fuel loads in the Black Hills, South Dakota, USA. International Journal of Wildland Fire, 13 (2) :119-129 [66] D. Richards G 1990. An elliptical growth model of forest fire fronts and its numerical solution. International Journal Numeric Math Engineering, 30:1163-1179

[67] D. Richards G 1995. A general mathematical framework for modeling two dimensional wild-land fire spreading. International Journal of Wildland Fire, 5 (2):86-72

[68] D. Richards G 1999. The mathematical modeling and computer simulation of wildland fire perimeter growth over a 3-dimensional surface.International Journal of Wildland Fire, 9 (3): 213-221

[69] C. Rothermel R 1972. A mathematical model for predicting fire spread in wildland fuels. USDA Forest Service, Research Paper INT-115

[70] Sandberg D V, Ottmar R D, G Cushon H. 2001. Characterizing fuels in the 21st Century. International Journal of Wildland Fire, 10(3/4):381-387

[71] Simeoni, A, P Santoni A, Larini M, et al. 2001. Proposal for theoretical improvement of forest spread semi-physical models thanks to a multi-phase approach: application to a model fire spread across a fuel bed. Combustion Science and Technology, 162:59-83

[72] A Simeoni, Santoni P, tosoma J H. 2002. A strategy to elaborate forest fire spread models for management tools including a computer time-saving algorithm. International Journal of Modeling and Simulation, 22 (4): 1-12

[73] A Simeoni, Santoni P A, Larini M, et al. 2003. Reduction of a multiphase formulation to include a simplified flow in a semi-physical model of fire spread across a fuel bed. International Journal of Thermal Sciences, 42: 95-105

[74] K. Sims, 1990. Particle animation and rendering using data parallel computation. Computer Graphics, 24 (4): 405-413

[75] J Stam, Fiume E. 1995. Depicting fire and other gaseous phenomena using diffusion processes. In: Wesley A eds. Proceedings of SIGGRAPH'95, Los Angeles, C A, August 9-11, 129-136

[76] J. Stam 1999. Stable Fluids. In: Warren W eds. Proceedings of the 26th Annual Conference on Computer Graphics and Interactive Techniques. ACM Press: 121-128

[77] J. Stam 2000. Interacting with smoke and fire in real time. Communications of the ACM, 43 (7): 76-83

[78] Stolk J, J J. van Wijk 1992. Surface particles flow for 3D visualization. In: Post F H, Hin A J S eds. Advances in Scientific Visualization. Springer, Berlin

[79] Vakalis D, H Sarimveis, Kiranoudis C, et al. 2004a. A GIS based operational system for wildland fire management crisis I. Mathematical modeling and simulation. Applied mathematical modeling, 28: 389-410

[80] Vakalis D, H Sarimveis, Kiranoudis C. 2004b. A GIS based operational system for wildland fire crisis management II. System architecture and case studies. Applied mathematical modeling, 28: 411-425

[81] Viegas D X, P R Ribeiro, Maricato L.1998. An empirical model for the spread of a fireline inclined in relation to the slope gradient or to wind direction. In: D Viegas X eds. Proceedings of the 3rd International Conference on Forest Fire Research and the 14th Conference of Fire and Forest Meteorology. Luso, Coimbra, Portugal, 1: 325-342

[82] Viegas D X, Pi (n ~) ol B J, M Viegas T. 2001. Estimating live fine fuels moisture content using, meteorologically-based indices. International Journal of Wildland Fire, 10 (2): 223-240

[83] Wei X, Li W, Mueller K, et al. 2002. Real fire with texture splats. In: Anon eds. Proceedings of 13th IEEE Visualization 2002 Conference, 227-234

[84] Wybo J L. 1998. FMIS: A decision support system for forest fire prevention and

fighting. IEEE Transactions on Engineering Management, 45 (2) :127-131 [85] Zeigler, B P, Moon Y, Kim D.1996. DEVS-C + +: A high performance modeling and simulation environment. In: Anon eds. Proceedings of 29th Hawaii International Conference on System Sciences (HICSS'96) a: Software Technology and Architecture, Maui, Hawaii

Testing Date: June 15, 2004

Publication date: September 1, 2005

Here is the full text of PDF